Refine Search

Search Results -

Terms	Documents
L27 and (tag$4 same (mis$4 near resource))	0

Database: US Pre-Grant Publication Full-Text Database; US Patents Full-Text Database; US OCR Full-Text Database; EPO Abstracts Database; JPO Abstracts Database; Derwent World Patents Index; IBM Technical Disclosure Bulletins

Search: L28

Refine Search | Recall Text | Clear | Interrupt

Search History

DATE: Wednesday, May 11, 2005 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR			
L28	L27 and (tag$4 same (mis$4 near resource))	0	L28
L27	L16 and L19	8	L27
L26	(L23 or L24 or L25) and L19	0	L26
L25	711/173.ccls.	796	L25
L24	711/153.ccls.	379	L24
L23	711/129.ccls.	351	L23
L22	L21 and (mis$4 same resource)	0	L22
L21	L2 and L19	31	L21
L20	L19 and (mis$4 near resource)	0	L20
L19	quer$3 near ("configuration database")	78	L19
L18	L17 and (mis$4 near resource)	0	L18
L17	L16 and L14	14	L17
L16	714/$.ccls.	48952	L16
L15	L14 and (quer$3 same mis$4 same list$1)	1	L15

L14	L1 and quer$3	64	L14
L13	L11 and (mis$4 near resource)	1	L13
L12	L11 and (mis$ near resource)	0	L12
L11	L10 and L2	23	L11
L10	(L8 or L9) and L4	353	L10
L9	711/$.ccls.	25244	L9
L8	707/$.ccls.	26517	L8
L7	L6 and (tag$4 same (mis$4 near resource))	1	L7
L6	L5 and L4	17	L6
L5	L1 and L2	17	L5
L4	"logical partition"	1341	L4
L3	"configuration database"	2732	L3
L2	resource$1 same (configurat$4 or reconfigurat$4) same database	2175	L2
L1	LPAR	596	L1

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
(L23 or L24 or L25) and L19	0

Database:
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search: L26

Refine Search | Recall Text | Clear | Interrupt

Search History

DATE: Wednesday, May 11, 2005 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR			
L26	(L23 or L24 or L25) and L19	0	L26
L25	711/173.ccls.	796	L25
L24	711/153.ccls.	379	L24
L23	711/129.ccls.	351	L23
L22	L21 and (mis$4 same resource)	0	L22
L21	L2 and L19	31	L21
L20	L19 and (mis$4 near resource)	0	L20
L19	quer$3 near ("configuration database")	78	L19
L18	L17 and (mis$4 near resource)	0	L18
L17	L16 and L14	14	L17
L16	714/$.ccls.	48952	L16
L15	L14 and (quer$3 same mis$4 same list$1)	1	L15
L14	L1 and quer$3	64	L14
L13	L11 and (mis$4 near resource)	1	L13

L12	L11 and (mis$ near resource)	0	L12
L11	L10 and L2	23	L11
L10	(L8 or L9) and L4	353	L10
L9	711/$.ccls.	25244	L9
L8	707/$.ccls.	26517	L8
L7	L6 and (tag$4 same (mis$4 near resource))	1	L7
L6	L5 and L4	17	L6
L5	L1 and L2	17	L5
L4	"logical partition"	1341	L4
L3	"configuration database"	2732	L3
L2	resource$1 same (configurat$4 or reconfigurat$4) same database	2175	L2
L1	LPAR	596	L1

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L21 and (mis$4 same resource)	0

Database: US Pre-Grant Publication Full-Text Database; US Patents Full-Text Database; US OCR Full-Text Database; EPO Abstracts Database; JPO Abstracts Database; Derwent World Patents Index; IBM Technical Disclosure Bulletins

Search: L22

Refine Search | Recall Text | Clear | Interrupt

Search History

DATE: Wednesday, May 11, 2005 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR			
L22	L21 and (mis$4 same resource)	0	L22
L21	L2 and L19	31	L21
L20	L19 and (mis$4 near resource)	0	L20
L19	quer$3 near ("configuration database")	78	L19
L18	L17 and (mis$4 near resource)	0	L18
L17	L16 and L14	14	L17
L16	714/$.ccls.	48952	L16
L15	L14 and (quer$3 same mis$4 same list$1)	1	L15
L14	L1 and quer$3	64	L14
L13	L11 and (mis$4 near resource)	1	L13
L12	L11 and (mis$ near resource)	0	L12
L11	L10 and L2	23	L11
L10	(L8 or L9) and L4	353	L10
L9	711/$.ccls.	25244	L9

L8	707/$.ccls.	26517	L8
L7	L6 and (tag$4 same (mis$4 near resource))	1	L7
L6	L5 and L4	17	L6
L5	L1 and L2	17	L5
L4	"logical partition"	1341	L4
L3	"configuration database"	2732	L3
L2	resource$1 same (configurat$4 or reconfigurat$4) same database	2175	L2
L1	LPAR	596	L1

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L19 and (mis$4 near resource)	0

Database: US Pre-Grant Publication Full-Text Database; US Patents Full-Text Database; US OCR Full-Text Database; EPO Abstracts Database; JPO Abstracts Database; Derwent World Patents Index; IBM Technical Disclosure Bulletins

Search: L20

Refine Search | Recall Text | Clear | Interrupt

Search History

DATE: Wednesday, May 11, 2005 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR			
L20	L19 and (mis$4 near resource)	0	L20
L19	quer$3 near ("configuration database")	78	L19
L18	L17 and (mis$4 near resource)	0	L18
L17	L16 and L14	14	L17
L16	714/$.ccls.	48952	L16
L15	L14 and (quer$3 same mis$4 same list$1)	1	L15
L14	L1 and quer$3	64	L14
L13	L11 and (mis$4 near resource)	1	L13
L12	L11 and (mis$ near resource)	0	L12
L11	L10 and L2	23	L11
L10	(L8 or L9) and L4	353	L10
L9	711/$.ccls.	25244	L9
L8	707/$.ccls.	26517	L8
L7	L6 and (tag$4 same (mis$4 near resource))	1	L7

L6	L5 and L4	17	L6
L5	L1 and L2	17	L5
L4	"logical partition"	1341	L4
L3	"configuration database"	2732	L3
L2	resource$1 same (configurat$4 or reconfigurat$4) same database	2175	L2
L1	LPAR	596	L1

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L17 and (mis$4 near resource)	0

Database: US Pre-Grant Publication Full-Text Database; US Patents Full-Text Database; US OCR Full-Text Database; EPO Abstracts Database; JPO Abstracts Database; Derwent World Patents Index; IBM Technical Disclosure Bulletins

Search: L18

Refine Search | Recall Text | Clear | Interrupt

Search History

DATE: Wednesday, May 11, 2005 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR			
L18	L17 and (mis$4 near resource)	0	L18
L17	L16 and L14	14	L17
L16	714/$.ccls.	48952	L16
L15	L14 and (quer$3 same mis$4 same list$1)	1	L15
L14	L1 and quer$3	64	L14
L13	L11 and (mis$4 near resource)	1	L13
L12	L11 and (mis$ near resource)	0	L12
L11	L10 and L2	23	L11
L10	(L8 or L9) and L4	353	L10
L9	711/$.ccls.	25244	L9
L8	707/$.ccls.	26517	L8
L7	L6 and (tag$4 same (mis$4 near resource))	1	L7
L6	L5 and L4	17	L6
L5	L1 and L2	17	L5

L4	"logical partition"	1341	L4
L3	"configuration database"	2732	L3
L2	resource$1 same (configurat$4 or reconfigurat$4) same database	2175	L2
L1	LPAR	596	L1

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L6 and (tag$4 same (mis$4 near resource))	1

1 Doc
5-11-05

Database:
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search: L7

Refine Search | Recall Text | Clear | Interrupt

Search History

DATE: Wednesday, May 11, 2005 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR			
L7	L6 and (tag$4 same (mis$4 near resource))	1	L7
L6	L5 and L4	17	L6
L5	L1 and L2	17	L5
L4	"logical partition"	1341	L4
L3	"configuration database"	2732	L3
L2	resource$1 same (configurat$4 or reconfigurat$4) same database	2175	L2
L1	LPAR	596	L1

END OF SEARCH HISTORY

Hit List

Clear | Generate Collection | Print | Fwd Refs | Bkwd Refs | Generate OACS

Search Results - Record(s) 1 through 1 of 1 returned.

☐ 1. Document ID: US 20030028523 A1

Using default format because multiple data bases are involved.

L7: Entry 1 of 1 File: PGPB Feb 6, 2003

PGPUB-DOCUMENT-NUMBER: 20030028523
PGPUB-FILING-TYPE: new
DOCUMENT-IDENTIFIER: US 20030028523 A1

TITLE: Method for dynamically allocating a device in an LPAR system

PUBLICATION-DATE: February 6, 2003

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
Brown, Joe N.	Austin	TX	US	
Awada, Faisal M.	Round Rock	TX	US	
Burkes, Philip B.	Round Rock	TX	US	

US-CL-CURRENT: 707/3

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KWIC | Draw D

Clear | Generate Collection | Print | Fwd Refs | Bkwd Refs | Generate OACS

Terms	Documents
L6 and (tag$4 same (mis$4 near resource))	1

Display Format: - Change Format

Previous Page Next Page Go to Doc#

Refine Search

Search Results -

Terms	Documents
L11 and (miss$3 near resource$1)	0

Database: US Pre-Grant Publication Full-Text Database; US Patents Full-Text Database; US OCR Full-Text Database; EPO Abstracts Database; JPO Abstracts Database; Derwent World Patents Index; IBM Technical Disclosure Bulletins

Search: L13

Refine Search | Recall Text | Clear | Interrupt

Search History

DATE: Wednesday, May 11, 2005 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR			
L13	L11 and (miss$3 near resource$1)	0	L13
L12	L11 and resource$1	7	L12
DB=USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR			
L11	(L2 or L3 or L4 or L5 or L6 or L7 or L8 or L9 or L10) and L1	7	L11
L10	714/768.ccls.	66	L10
L9	714/765.ccls.	120	L9
L8	714/753.ccls.	71	L8
L7	714/723.ccls.	281	L7
L6	714/701.ccls.	310	L6
L5	714/57.ccls.	274	L5
L4	714/52.ccls.	180	L4
L3	714/48.ccls.	689	L3
L2	714/6.ccls.	1196	L2
L1	quer$3 same (configurat$4 near (database or (data adj base)))	176	L1

END OF SEARCH HISTORY

Terms used **quering configuration database missing resources updating resourcs**

Found **1** of **154,226**

Sort results by relevance

Display results expanded form

Save results to a Binder

Search Tips

Open results in a new window

Try an Advanced Search

Try this search in The ACM Guide

Results 1 - 1 of 1

Relevance scale

1 Towards a temporal world-wide web: a transaction-time server

Curtis E. Dyreson

January 2001 **Proceedings of the 12th Australasian conference on Database technologies**

Full text available: pdf(588.30 KB) Publisher Site

Additional Information: full citation, abstract, references, citings, index terms

Transaction time is the time of a database transaction, i.e., an insertion, update, or deletion. A transaction-time database stores the transaction-time history of a database and supports transaction timeslice queries that retrieve past database states. This paper introduces transaction time to the World-wide Web. In a web context, transaction time is the modification time of a resource such as an XML document. A transaction-time web server archives resource versions and supports transaction tim ...

Keywords: database, servers, transaction time, web

Results 1 - 1 of 1

Terms used **quering configuration database missing resources** Found **5** of **154,226**

Sort results by relevance Save results to a Binder

Display results expanded form Search Tips

Open results in a new window

Try an Advanced Search
Try this search in The ACM Guide

Results 1 - 5 of 5

Relevance scale

1 Session 12B: negotiation: A study on the termination of negotiation dialogues

Paolo Torroni

July 2002 **Proceedings of the first international joint conference on Autonomous agents and multiagent systems: part 3**

Full text available: pdf(173.90 KB) Additional Information: full citation, abstract, references, index terms

Dialogue represents a powerful means to solve problems using agents that have an explicit knowledge representation, and exhibit a goal-oriented behaviour. In recent years, computational logic gave a relevant contribution to the development of Multi-Agent Systems, showing that a logic-based formalism can be effectively used to model and implement the agent knowledge, reasoning, and interactions, and can be used to generate dialogues among agents and to prove properties such as termination and suc ...

Keywords: abduction, computational logic, dialogue, multi-agent systems, negotiation, termination

2 Beneath the surface of organizational processes: a social representation framework for business process redesign

Gary Katzenstein, F. Javier Lerch

October 2000 **ACM Transactions on Information Systems (TOIS)**, Volume 18 Issue 4

Full text available: pdf(2.02 MB) Additional Information: full citation, abstract, references, index terms, review

This paper raises the question, "What is an effective representation framework for organizational process design?" By combining our knowledge of existing process models with data from a field study, the paper develops criteria for an effective process representation. Using these criteria and the case study, the paper integrates the process redesign and information system literatures to develop a representation framework that captures a process' social context. The paper argues t ...

Keywords: business process redesign, organizational change, process representation

3 Invited paper: Middleware and web services for the collaborative information portal of NASA's Mars exploration rovers mission

Elias Sinderson, Vish Magapu, Ronald Mak

October 2004 **Proceedings of the 5th ACM/IFIP/USENIX international conference on**

Middleware

Full text available: pdf(428.63 KB) Additional Information: full citation, abstract, references

We describe the design and deployment of the middleware for the Collaborative Information Portal (CIP), a mission critical J2EE application developed for NASA's 2003 Mars Exploration Rover mission. CIP enabled mission personnel to access data and images sent back from Mars, staff and event schedules, broadcast messages and clocks displaying various Earth and Mars time zones. We developed the CIP middleware in less than two years time using cutting-edge technologies, including EJBs, servlets, JDB ...

4 The application of computer simulation in a flight vehicle CAD system

Chunxi Wan

December 1987 **Proceedings of the 19th conference on Winter simulation**

Full text available: pdf(416.84 KB) Additional Information: full citation, abstract, references, index terms

This paper describes an effort in applying computer simulation to the design of flight vehicle systems. The flight vehicle computer aided design (CAD) system is in itself a simulation of the designer's thinking processes. The system includes many modules to simulate the knowledge structure of a designer group. And it is possible to be adjusted and replenished in time just as in the case of human designers who have to do likely. It is able to input, output, store and generale information und ...

5 Better than one operation per clock (panel): vectors, VLIW, and superscalar

Joseph A. Fisher, Greg Grohoski, Yale Pratt, J. E. Smith, David R. Stiles

May 1990 **ACM SIGARCH Computer Architecture News , Proceedings of the 17th annual international symposium on Computer Architecture**, Volume 18 Issue 3

Full text available: pdf(59.52 KB) Additional Information: full citation, abstract

In the 1980s, considerable advances were made in both software and hardware technology, and CPUs that can issue no more than one operation per clock cycle are rapidly approaching this barrier. Further improvements to uniprocessor performance can be obtained by enhancing the architecture of the CPU to allow multiple operations to be issued in a single clock cycle. The focus of this panel is to discuss three architectural approaches to issuing multiple operations per cycle: (i) vector instruc ...

Results 1 - 5 of 5

Terms used **quering configuration database missing resources updating resourcs tagged resources**

Found **1** of **154,226**

Sort results by: relevance

Display results: expanded form

Save results to a Binder

Search Tips

Open results in a new window

Try an Advanced Search

Try this search in The ACM Guide

Results 1 - 1 of 1

Relevance scale

1 Towards a temporal world-wide web: a transaction-time server

Curtis E. Dyreson

January 2001 **Proceedings of the 12th Australasian conference on Database technologies**

Full text available: pdf(588.30 KB) Publisher Site

Additional Information: full citation, abstract, references, citings, index terms

Transaction time is the time of a database transaction, i.e., an insertion, update, or deletion. A transaction-time database stores the transaction-time history of a database and supports transaction timeslice queries that retrieve past database states. This paper introduces transaction time to the World-wide Web. In a web context, transaction time is the modification time of a resource such as an XML document. A transaction-time web server archives resource versions and supports transaction tim ...

Keywords: database, servers, transaction time, web

Results 1 - 1 of 1

IEEE Xplore RELEASE 2.0

e-mail

Results for "(('quering configuration database' <paragraph> 'missing resources')<in>metadata)"

Your search matched 0 of 1157693 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» View Session History

» New Search

Modify Search

(('quering configuration database' <paragraph> 'missing resources')<in>metadata)

Check to search only within this results set

Display Format: Citation Citation & Abstract

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.

Indexed by Inspec

Search Results BROWSE SEARCH IEEE XPLORE GUIDE

e-mail

Results for "(((quer* <near> configurat* <near> database) <paragraph> (resource <near> li..."

Your search matched **0** of **1157693** documents.

A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» View Session History

» New Search

Modify Search

(((quer* <near> configurat* <near> database) <paragraph> (resource <near> list))<in

Check to search only within this results set

Display Format: Citation Citation & Abstract

» **Key**

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.

11-24
5-11-05

Results for "(((('configuration database') <paragraph> ('logical partition'))<in>metadata)"

e-mail

Your search matched **0** of **1157693** documents.

A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» View Session History

» New Search

Modify Search

(((('configuration database') <paragraph> ('logical partition'))<in>metadata)

Check to search only within this results set

Display Format: Citation Citation & Abstract

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.